

PLATINODE[®]

Optimal Results with Perfect Price/Performance Ratio

Mixed metal oxide anodes (MMO) are dimensionally stable and suitable for a wide range of applications. The electrolytes can be alkaline-cyanide to strongly acidic.

MMO anodes persuade with a perfect price/performance ratio. They have a low oxygen overvoltage compared to other electrocatalytical surfaces. This results in less energy and minimized organic additive consumption. Customers benefit from significantly prolonged lifespans of the electrolyte.

A wide range of anode shapes is possible. Therefore, they can be optimally adapted to the design of the components, which shall be plated.

Due to their electrochemical characteristics the anodes are well suited in electroplating for metal deposition out of sensitive electrolytes and for water treatment.



Advantages

- $\cdot\,$ Reduced consumption of organic additives
- High current densities possible
- Improved performance, prolonged lifetime of electrolytes
- Uniform layer thickness distribution
- No anode sludge, no anode maintenance

Applications

 Metal deposition out of sensitive electrolytes

umicore

Electroplating

• Water treatment

PLATINODE[®] **MMO ANODES**

TECHNICAL SPECIFICATIONS

Fields of Application of Different MMO Anodes Ruthenium electrolytes, strongly 177 acid Platinum electrolytes, strongly 177 acid Rhodium electrolytes, strongly 177 acid Gold electrolytes, strongly acid 177 Gold electrolytes, weakly acid 147 Gold electrolytes, alkaline 147 Bronze electrolytes, cyanide-al-167 kaline Siver electrolytes, cyanide-alkaline 167 Acid copper 187 SO, 177 Halogen-containing electrolytes 177 Decorative CR3+ electrolytes 187 LOC Zinc/Zinc alloy electrolytes, 177, 187 LOC alkaline Pd electrolytes, Pd/Ni alloy elect-187 SO rolytes, ammoniacal Pd/Ni alloy electrolytes ammoni-187 SO um-free, chloride-free

Fields of Application of Different MMO Anodes

Nickel/nickel alloy electrolytes	177, 187 LOC
Drinking water conditioning	197
Treatment of swimming pool water	197

YOUR CONTACT

Do you have a specific question or would you like a no-obligation quote calculation? Our specialist will be happy to help you with any technical questions you might have.



Frank Friebel

Mail:

Sales Manager Electrocatalytic Electrodes

frank.friebel@eu.umicore.com Phone: +49 (0) 7171 607 - 292



The information and statements contained herein are based on our experience in the fields of research and applied technology and are believed to be accurate at the time of publication, but - unless agreed in writing - we make no warranty with respect thereto, including but not limited to any results to be obtained. This product information sheet in the English language prevails any translation.

www.ep.umicore.com